Data sheet 17531.1 STBI 19/4 GN





Insulated socket, Colour: Green

Business data

<u>17531.1</u>
STBI 19/4 GN
4044211209339
50
PC
0.3 g
0.32 g
G
85389099
DE
17531.5
Insulated socket

Data sheet





Technical data			
6.1 mm			
6.1 mm			
26 mm			
6.1 mm			
4 mm			
Polyamide 6.6			
V-2			
-40 °C			
105 °C			
Screwable			
✓			
yes			
2023-06-14			
No			
yes			

Data sheet 17531.1 STBI 19/4 GN



Media

Data sheet 17531.1 STBI 19/4 GN



Accessories



##INVERSE##CONTA-CONNECT

Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17523.2	SPTK 6/LT/HB BG	4044211209223	50 ST

Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige



Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17520.2	SPTK 6/DU BG	4044211209650	50 ST

Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17521.2	SPTK 6/LT BG	4044211209162	50 ST

Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17522.2	SPTK 6/QT BG	4044211209216	50 ST

Test disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17525.2	SPTK 6/LT/STBI/BU BG	4044211209926	50 ST