



End plate, Width: 1.5 mm, Colour: Orange

Business data

2104.3
AP 16 OG
4044211128425
20
PC
4.1 g
4.25 g
G
85389099
DE
2104.2
End plate



Technical data		
Dimensions		
Length	49.7 mm	
Width	1.5 mm	
Min. thickness	1.5 mm	
Height	47.7 mm	
Materials		
Material	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Further technical data		
Designed as end plate	✓	
Snap-on available	✓	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2023-06-14	
REACH Candidate Substance Note	No	
RoHS Conform	yes	



Media



Accessories

##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1050.2	RK 16 BG	4044211010522	50



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1162.2	RK 16/Z BG	4044211023607	50



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1492.2</u>	RK 16/IS BG	4044211045234	50



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1493.2	RK 16/Z/IS BG	4044211045258	50