

Data sheet

3795.3 ZAP SR 3A/35 OG



End plate, Width: 1.6 mm, Colour: Orange

Business data

|                                            |                 |
|--------------------------------------------|-----------------|
| Article number                             | 3795.3          |
| Article name                               | ZAP SR 3A/35 OG |
| GTIN (EAN)                                 | 4044211061289   |
| Packaging unit                             | 50              |
| Quantity unit                              | PC              |
| Weight per piece (not including packaging) | 1.9 g           |
| Weight per piece (including packaging)     | 1.95 g          |
| Unit of weight                             | G               |
| Customs number                             | 85389099        |
| Country of origin                          | DE              |
| Prio-Article                               | 3795.2          |
| Product description                        | End plate       |

# Data sheet

## 3795.3 ZAP SR 3A/35 OG



### Technical data

#### Dimensions

|        |         |
|--------|---------|
| Length | 54.2 mm |
| Width  | 1.6 mm  |
| Height | 28.7 mm |

#### Materials

|                           |               |
|---------------------------|---------------|
| Material                  | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

#### Further technical data

|                       |   |
|-----------------------|---|
| Designed as end plate | ✓ |
| Snap-on available     | ✓ |

#### Environmental Product Compliance

|                                |            |
|--------------------------------|------------|
| REACH Conform                  | yes        |
| REACH Reference date           | 2023-06-14 |
| REACH Candidate Substance Note | No         |
| RoHS Conform                   | yes        |

---

Media

---

### Accessories

#### ##INVERSE##CONTA-CONNECT




Ex protective-earth terminal ATEX-certified Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name        | GTIN (EAN)    | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>1712.2</u>  | ZSLN 2,5/3A Ex GNYE | 4044211059668 | 100 ST         |




Protective earth terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Green-yellow

| Article number | Article name     | GTIN (EAN)    | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>3602.2</u>  | ZSLN 2,5/3A GNYE | 4044211152055 | 100 ST         |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name      | GTIN (EAN)    | Packaging unit |
|----------------|-------------------|---------------|----------------|
| <u>1703.2</u>  | ZSRK 2,5/3A Ex BG | 4044211059620 | 100            |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm<sup>2</sup>, Width: 5.1 mm, Colour: Beige

| Article number | Article name   | GTIN (EAN)    | Packaging unit |
|----------------|----------------|---------------|----------------|
| <u>3600.2</u>  | ZSRK 2,5/3A BG | 4044211152031 | 100            |