

1123.2

MAG 95 BG

MAG 95 BG



Measurement pick-off terminal, Screw connection, Mounting type: On base, Rated cross-section: 10 mm², Width: 10 mm, Colour: Beige

Business data

Product description	Measurement pick-off terminal
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	12.2
Weight per piece (including packaging)	12.21
Unit of weight	G
Customs number	85369010
Country of origin	DE

1123.2

MAG 95 BG

MAG 95 BG

Technical Data

Dimensions

Length	50 mm
Width	10 mm
Height	34 mm

Ratings

Rated voltage	1000 V
Rated current	57 A
Rated cross-section	10 mm ²
Rated impulse voltage	6 kV
Overvoltage category	III
Contamination degree	3

1123.2

MAG 95 BG

MAG 95 BG

Technical Data

Connection data

Connection principle	Screw connection
Connections	1
Wire cross-section single-core (rigid) / stranded, min.	0.2 mm ²
Wire cross-section single core (rigid)/stranded, max.	10 mm ²
Wire cross-section stranded, min.	0.2 mm ²
Wire cross-section stranded, max.	10 mm ²
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm ²
Wire cross-section stranded with wire-end ferrules, max.	10 mm ²
Wire cross-section AWG, min.	22
Wire cross-section AWG, max.	8
Stripping length	12 mm
Screw head	Slotted
Screw threading	M 4
Tightening torque, min.	1.2 Nm
Tightening torque, max.	2 Nm

Materials

Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2

1123.2

MAG 95 BG

MAG 95 BG

Technical Data

Materials

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	105 °C
---------------------------	--------

Further technical data

Mounting type	On base
---------------	---------

Gauge plug acc. to EN 60 947-1	A5
--------------------------------	----

1123.2

MAG 95 BG

MAG 95 BG

Approvals

Standards and regulations

EAC approval

TR ZU 004/2011

EAC approval granted



✓

1123.2

MAG 95 BG

MAG 95 BG

Media



EAC

1123.2 MAG 95 BG MAG 95 BG

Accessories

Terminals



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 95 mm², Width: 25 mm, Colour: Beige

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
1122.2	RK 95	4044211018979	10 PC



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 95 mm², Width: 25 mm, Colour: Beige

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
1583.2	RK 95-D	4044211047726	10 PC


1123.2

MAG 95 BG

MAG 95 BG

Accessories

Quick-marking



Terminal marker / Pocket Maxicard, Length: 5 mm,
Width: 6 mm, Colour: White

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
4702.7	PMC SB 6/50 WH	4044211089986	500 PC

Screw driver



Screwdriver with bare blade, Colour: Black-grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
1087.0	SDB 0,8x4,0	4044211014803	1 PC
